




Sound Proof Wall System


Noise Shield



New Trend Development Co.,Ltd.



## Wall Separation Type




Thanks to its clever design, our sound proof wall system is possible for partial replacement in case of normal front impact. No need to pull out the upper panel which reduce 70% in labor cost and time.

Picture of damaged soundproof wall




### Normal Type

Take around an hour to replace the damage panel.



### Separation Type

Take only 5mins for the replacement without disturbing other panels.





## Sound Proof Wall System

### **Value. Simply put, NTD' NoiseShield Sound Barrier**

delivers more noise reduction than any other comparable Concrete or wood sound wall. It looks better, installs the easiest, lasts longer and gives you the best value for your noise reduction investment. Great.



### **Speed.**

NoiseShield installs four times faster than concrete or wood sound walls. It requires no expensive heavy lifting equipment to install or repair. The result is less cost, less mess and less time your highways need to be shutdown for construction. If an NoiseShield Sound Barrier is impacted by an out of control vehicle, it can be repaired year-around. Easily

### **Aesthetics.**

NoiseShield not only looks great when installed, it continues to look great year after year... unlike concrete, wood walls which deteriorate, becoming eyesores in just a few years.



### **Maintainability. Inevitably, accidents happen.**

That's why a sound wall's repairability is critically important. If a concrete, wood is damaged, you will need to schedule heavy equipment and close traffic lanes to repair it. Two workers with hand tools and step ladders can fix a NoiseShield Sound Barrier in just minutes. Inexpensively.







# Sound Proof Wall System

## Performance

When you buy a sound wall, you're buying noise reduction, not materials. The numbers speak for themselves. Loudly.



NRC = 0.80

## Wide Choice of sizes and colors

NTD NoiseShield Sound Barrier comes in a standard size : 1 x 2 m or 0.5 x 4 m and can be ordered in an array of standard colors. You can "stack" more than one color to achieve dramatic stripe effects like some of the walls pictured here. We can also match any color, and architectural colors are available.



New Trend Development Co., Ltd. 56 soi Ronnasittipichai 13 Sanambinnam Rd. Tasai Nonthaburi Thailand 11000

TEL: +(66) 2 - 9500627 Fax: +(66) 2 - 9509922 [www.ntd.co.th](http://www.ntd.co.th)